Dec.16. 2002 3:46PM

P. 1 No.0074

BOZICEVIC, FIELD & FRANCIS LLP

200 Middlefield Road Suite 200

FACSIMILE TRANSMITTAL

December 16, 2002

Menlo Park, California 94025 Telephone (650) 327-3400 Facsimile (650) 327-3231

Date:

ö:

Examiner Carla Meyer
U.S. Patent and Trademark Office

Facsimile No.:

703-746-5042

Paula A. Borden

From:

U.S. Patent Application No. 08/976,560 Our Docket No. UCAL-142CON

Re:

Please see attached.

Message:

Total number of pages, including this cover sheet: 32

WARNING: This facsimile message and accompanying documents are intended only for the use of the addressee indicated above. Information that is privileged or otherwise confidential may be contained therein. If you are not the intended recipient, you are hereby notified that any dissemination, copying, review or use of the above nessage or the accompanying documents is strictly prohibited. If you have received this message in error, please notify us immediately by telephone or farsimile, and mail the original to us at the above address. Thank you.

 $\overline{\cdot}$

Apolletion Number 08/976,560		Application Number	08/976,560
TRANSMITTAL	TTAI	Filing Date	November 24, 1997
FORM	== . ;	First Named Inventor	FREIMER, NELSON B.
	:	Group Art Unit	1600
(to be used for all correspondence after tritle! fling)	nce after triflel filing)	Examiner Name	ARTHUR, LISA B.
Total Number of Pages in 34 + This Submission	+ 3 Exhibits	Attorney Docket Number	UCAL-142CON
	ENCLOSUR	ENCLOSURES (check all that apply)	
Fee Transmittal Form			
Fee Attached) (for ex	Assignment Papers (for an Application)	After Allowance Communication to Group
Amendment / Service	Drawing(s)	ng(s)	Appeal Communication to Board
Arden comence and	Licens	Licensing-related Papers	of wipeals and interferences
Affidavits/rtsclaration/s)	Petition	3	Appeal Communication to Group (Appeal Notice, Brief, Reply Brief)
			Proprietary Information
The state of the s) (Provisional Application	
	E	Power of Attorney, Revocation Change of Correspondence	
information Disclosure Statement]	55	Other Enclosure(s) (please
Certified Copy of Priority Documents	[Termi		
Response to Missing Parts		Terminal Disclainer	ident 1)
Incomplete Application	_	Terminal Disclaimer Request for Rafund	/denh 1)
Response to Missing Parts under 37 CFR 1.52 or 1.53	E B	nai Disclaimer ssi for Rafund umber of CD(s)	ident
		Terminal Discidiner Request for Rafund CD, Number of CD(s)	identi 1) 2) 3)
		nai Disclaimer sat for Refund umber of OD(s)	identi 1) 3)
	Remarks	nai Disclaimer sat for Refund umber of CD(s) L ENCLOSURES ARE	icent 1) 21 21 3) 3) 4)
	Ramarks	nat Disclaimer sat for Rafund umber of CD(s) L ENCLOSURES ARE	identify below! I Response to large management of the second of the sec
	Remarks Remarks	nei Disclaimer sat for Refund umber of CD(s) L ENCLOSURES ARE L ENCLOSURES ARE	ident 1) 21 21 3) 3) 177ED
PAULAA	NATURE OF AN	Terminal Disclaimer Request for Refund CD, Number of CD(a) CD, Number of CD(b) 1.53 Remarks ALL ENCLOSURES ARE SUBM. SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT SORDEN, Reg. No. 42,444	1) 1) 177ED
dous Name PAULA A	Ramarks Ramark	nat Disclaimer set for Rafund uniber of CD(a) L ENCLOSURES ARE L ENCLOSURES ARE LICANT. ATTORNEY, OR	1) 177ED
PALILA A Hotal Name July 26, 2	Samarks Ramarks Ramarks Ramarks Ramarks	sat Or Refund umber of CD(s) L ENCLOSURES ARE LCANT. ATTORNEY, OR	1) 177ED
tiure PAJI A A	CEEN ROO. NO. 42	net Disclaimer set for Refund umber of CD(9) L ENCLOSURES ARE L ENCLOSURES ARE LICANTLATTORNEY OR	1) 17 ED
title Name July 26, 2 Line Line July 26, 2 Service of the Commission of the Com	I.SZ or 1.53 Remarks AL SIGNATURE OF APPI II.A A BORDEN, Rop. No. 42,34 Tat. 2002 CERTIFI Sponderne is being deposited with Commissioner for Palents West Commissioner for Palents West	Request for Refund CD, Number of CD(s) OF APPLICANT. ATTORNEY, OR ASENT No. 42,344 OF APPLICANT OF MAILING CERTIFICATE OF MAILING CHANGE OF MAILING CERTIFICATE OF MAILING CERTIFICATE OF MAILING CHANGE OF MAILING CERTIFICATE OF MAILING CERTIFICATE OF MAILING CHANGE OF MAILING CERTIFICATE OF MAILING CHANGE OF	identify below: 1) Response to Non-Compliant 2 Copy of Ame April 25, 2012 3) Schilchs Pressentiate on 2002 4) Resturn Poster 5/UBMITTED IN TRIPLIC SUBMITTED IN TRIPLIC 1 SUBMITTED IN TRIPLIC AGENT

CERTIFICATE OF MAILING

Address to: Box AF Sir Assistant Commissioner for Patents Washington, D.C. 20231 This Amended Appeal Brief is filed in response to the Notification of Non-Compliance with 37

APPELLANTS' BRIEF AMENDED First Named Inventor Attorney Docket N.B. Freimer UCAL142CON Date 20/25 I looply certify that this correspondence is being deposited with the United States Portal Service as first class mail in an envelope addressed to: Assistant Commissioner for Pasents, Washington, D.C. 2023 I.

Atty Dkt. No.: UCAL142CON USSN: 08/976,260

Signature

lyped or Printed Name

Title Examiner Name Group Art Unit Filing Date Application Number 08/976,560 L. Arthur 1655 November 24, 1997 Methods for treating bipolar mood disorder associated with markers on chromosome l&p

Extension of Time. Accordingly, the original Appeal Brief was timely filed. Brief due on December 10, 2001. An Appeal Brief was filed, along with a petition and fee for a one-month finally rejected and are appealed. A Notice of Appeal was filed on October 10, 2001, making an Appeal April 24, 2001. No claims have been allowed, and claims 1-12 and 25-27 are pending. All claims were An Appeal Brief was filed in support of appellants' appeal from the Examiner's Final Rejection dated response, making this Brief due on or before May 9, 2002. Accordingly, this Amended Appeal Brief is C.F.R. §1.192(c), dated April 9, 2002. The Notification of Non-Compliance gave a one-month period for

Permission to charge the deposit account in the amount of \$710.00 was enclosed along with the Appeal Brief filed on January 10, 2002, to cover the \$320.00 required per 37 C.F.R. §1.17(c) for filing appellants' brief, the \$280.00 for the Request for Oral Hearing, and the \$110.00 for the extension of time. No fee is believed due for filing this Amended Appeal Brief. In the unlikely event that the check and/or transmitral papers are separated from this document and/or other fees or relief are required, appellants petition for such relief, including extensions of time, and authorize the Commissioner to charge any fees under 37 C.F.R. §§ 1.16, 1.17 and 1.21 which may be required by this paper, or to credit any overpayment, to Deposit Account No. 50-0815, order number <u>UCAL142CON</u>.

MARKS

The Notice of Non-Compliance stated that the Appeal Brief filed on January 10, 2002 does not comply with the requirements set forth in 37 C.F.R. §1.192(c)(7). The Notice of Non-Compliance stated that under "Grouping of the Claims" the brief only states that the claims are argued as a group but does not set forth whether the claims will stand or fall together with regard to each of the rejections.

37 C.F.R. §1.192(c)(7) states "For each ground of rejection which appellant contests and which applies to a group of two or more claims, the Board shall select a single claim from the group and shall decide the appeal as to the ground of rejection on the basis of that claim alone unless a statement is

The Appeal Brief is amended to state that "with respect to each ground of rejection set forth in the Final Office Action, claims 1-12 and 25-27 are argued as a group and stand or fall together." Accordingly, the Amended Appeal Brief is in compliance with the requirements of 37 C.F.R. § 1.192(c)(7).

included that the claims of the group do not stand or fall together."

TABLE OF CONTENTS

CONTENTS

Arty Dkt. No.: UCAL142CON USSN: 08/976,560 55 26 5

Leon, Victor I. Reus, M. Escamilla, L. Alison Molnnes, Susan K. Service, Erich M. Flynn, and Edward M. California and the University of Costa Rica. The Regents of the University of California granted a license to Domengeaux. The inventors assigned their entire rights to the invention to The Regents of the University of REAL PARTY IN INTEREST The inventors named on this patent application are Nelson B. Freimer, Lodewijk Sandkuijl, Pedro

RELATED APPEALS AND INTERFERENCES

Millennium Pharmaceuticals, Inc.

The instant application is not a subject of any concurrent appeal or interference proceeding.

STATUS OF THE CLAIMS

1997 (now abandoned), which application claims the benefit of priority of U.S. Provisional Patent Application Serial No. 60/023,438, filed August 23, 1996. This application is a continuation of U.S. Patent Application Serial No. 08/916,683, filed August 22,

Claims 1-16 were originally filed.

17-24 were added. As a result, claims 1-13 and 15-24 were pending. was canceled without prejudice to renewal, claims 1-7,9-11, 13, 15, and 16 were amended, and new claims In the amendment filed on October 25, 1999, responsive to the July 28, 1999 Office Action, claim 14 In the amendment filed on March 17, 2000, responsive to the January 20, 2000 Office Action, claims

13, 15, and 16 were canceled without prejudice to renewal, and claims 4, 8-11, 17, 20, and 24 were amended 24 were canceled without prejudice to renewal, claims 1, 8, 10, and 11 were amended, and claims 25-27 As a result, claims 1-12 and 17-24 were pending. In the amendment filed on October 30, 2000, responsive the June 28, 2000 Office Action, claims 17.

was amended. In the amendment filed October 10, 2001, responsive to the April 24, 2001 Office Action, claim 1 were added. As a result, claims 1-12 and 25-27 were pending

All of the pending claims 1-12 and 25-27 shown in attached Appendix I remain pending, rejected, and appealed here.

Atty Dkt. No.: UCAL142CON USSN: 08/976,560

STATUS OF AMENDMENTS

During the course of prosecution, amendments to claims 1-7, 9-11, 13, 15, and 16 were made in the amendment filed on October 25, 1999; amendments to claims 4, 8-11, 17, 20, and 24 were made in the amendment filed on March 17, 2000; amendments to claims 1, 8, 10, and 11 were made in the amendment filed on October 30, 2000. All amendments were entered.

Entry of an amendment to claim I was requested in the Amendment After Final filed October 10, 2001. The Advisory Action dated October 25, 2001 indicated that the amendment to claim I would be entered.

SUMMARY OF THE INVENTION

The independent claims currently pending are claims 1, 9, 10, 11, and 27. Applicants claim a method of detecting an increased susceptibility to bigolar mood disorder (BP) in an individual (claim 1); a method for detecting the presence of a BP susceptibility DNA polymorphism in an individual phenotypically diagnosed as having BP (claim 9); a method of genetically diagnosing bipolar mood disorder in an individual (claim 10); a method of confirming a phenotypic diagnosis of BP in an individual (claim 11); and a method of detecting the presence of a BP susceptibility polymorphism in an individual (claim 27).

Manic-depressive illness, or bipolar mood disorder (BP) is characterized by episodes of elevated mood (mania) and depression, and is among the most prevalent and potentially devastating of psychiatric syndromes. The most severe and clinically distinctive forms of BP are BP-I (severe bipolar mood disorder) and SAD-M (schizoaffective disorder manic type). An estimated 2-3 million people in the United States are affected by BP-I. Currently, individuals are typically evaluated for BP using clinical criteria set forth in the most current version of the American Psychiatric Association's "Diagnostic and Statistical Manual of Mental Disorders." Typically, subjective interview methods are used to make a clinical diagnosis.

Currently available drugs—including lithium salts, carbamazepine, and valproic acid—are effective in only about 60-70% of individuals diagnosed with BP-I, and it is impossible to predict which drug treatments will be effective in particular BP-I affected individuals. Commonly, upon diagnosis, affected individuals are prescribed one drug after another until one is found to be effective.

Despite abundant evidence that BP has a major genetic component, until the present invention, no genetic markers were unequivocally linked to BP. In view of the severity of the disorder, and the limitations inherent in a purely phenotypic diagnosis of BP based on clinical criteria, there is a tremendous need for more objective criteria to identify and subtype individuals with BP. Identification of genetic markers (e.g., polymorphisms) that show linkage to BP would assist in identification of individuals susceptible to BP.

The inventors identified a narrow interval, between markers SAVA5 and ga203, on the short arm of chromosome 18 which contains polymorphisms associated with BP. This identification was achieved by performing an analysis on a genetically isolated population, as described in detail in the specification. Specification, page 16, line 12 to page 25, line 10.

clinician to determine an appropriate therapy based on the genotypic subtype.

Furthermore, genetically subtyping individuals with BP would confirm clinical diagnoses, and would allow a

- The inventors identified specific polymorphisms that are associated with BP, e.g., allele 154 at D18859, a microsatellite marker polymorphism that associates with BP; and allele 271 at D188476, another microsatellite marker polymorphism that associates with BP. Specification, page 24, lines 10-29. These polymorphisms associated with BP both in the pedigree and in the population of unrelated individuals. Thus, at least two polymorphisms are unequivocally associated with BP.
- The inventors described how additional polymorphisms within the defined, narrow region can be identified in other BP patients. Specification, page 27, line 22 to page 29, line 29.

• The inventors described how individuals whose BP status is unknown ("test individuals") can be analyzed for the presence of a polymorphism known to be associated with BP. Specification, page 29, lines 23-29.

The present invention provides, for the first time, a localization of a severe BP susceptibility locus to a 300 to 500 kb region of the short arm of chromosome 18 between SAVA5 and ga203 ("the identified region"). The inventors demonstrated the feasibility of genome screening using linkage discquilibrium mapping, using the recently available set of markers covering the genome.

The inventors demonstrated that the identified region is linked to BP. Further, the inventors demonstrated that specific polymorphisms within the identified region are linked to BP. The inventors

The invention provides a convenient diagnostic tool for clinicians, who typically rely upon standard interview methods to make a diagnosis of BP. Rather than relying solely on subjective interview processes in diagnosing BP, clinicians can take advantage of the present invention to identify BP-susceptible individuals.

demonstrated that specific polymorphisms within the identified region are linked to BP, both in pedigree studies and in population studies. The localization of a BP susceptibility locus to the identified region, and the identification of specific polymorphisms associated with BP is a major contribution. The inventors have narrowed the region within which the susceptibility locus is contained, from the entire genome to a narrow

interval, and have identified specific polymorphisms within the narrow interval, which are associated with

ISSUES

There are two issues on appeal, as follows:

WHETHER THE INVENTION IS DESCRIBED UNDER 35 U.S.C. §112, FIRST PARAGRAPH

WHETHER THE INVENTION IS ENABLED UNDER 35 U.S.C. §112, FIRST PARAGRAPH.

GROUPING OF THE CLAIMS

rejection set forth in the Final Office Action, claims 1-12 and 25-27 are argued as a group and stand or fall Claims 1-12 and 25-27 are method claims and are argued as a group. With respect to each ground of

ARGUMENTS

invention under 35 U.S.C. §112, first paragraph appellants' understanding of the Examiner's rejections. The second section specifically addresses the two issues outlined above relating to the written description and support within the specification for the claimed The arguments portion of this Brief is divided into two sections. The first section describes

THE EXAMINER'S REJECTIONS

susceptibility to bipolar mood disorder (BP), because the specification only teaches that in a pedigree polymorphisms in the region between SAVA5 and ga203 on chromosome 18 that are generally indicative of a description. It was the Examiner's position that the specification contains no description of specific analysis the region between SAVA5 and gn203 is over-represented in individuals in the pedigree who have Claims 1-12 and 25-27 were rejected under 35 U.S.C.§112, first paragraph, as lacking written

commensurate in scope with the claims. It was the Examiner's position that the specification does not specification allegedly does not enable any person skilled in the art to make and use the invention

Claims 1-12 and 25-27 were rejected under 35 U.S.C. §112, first paragraph, on the basis that the

S

reasonably provide enablement for a method of detecting an increased susceptibility to bipolar mood disorder by detecting polymorphisms between and inclusive of SAVA5 and ga203 or any of the other recited markers.

Atty Dkt. No.: UCAL142CON USSN: 08/976,560

APPLICANTS' RESPONSE TO THE REJECTIONS

The rejection of claims 1-12 and 25-27 under 35 U.S.C. §112, first paragraph, is in error.

Applicants have described in great detail:

(1) Identification of a narrow interval, between markers SAVA5 and ga203, on the short arm of chromosome 18 which contains polymorphisms associated with BP. This identification was achieved by performing an analysis on a genetically isolated population, as described in detail in the specification. Specification, page 16, line 12 to page 25, line 10.

(2) Identification of polymorphisms, e.g., allele 154 at D18S59, a microsatellite marker polymorphism that associates with BP; and allele 271 at D18S476, another microsatellite marker

(3) How additional polymorphisms within the defined, narrow region can be identified in other BP patients. Specification, page 27, line 22 to page 29, line 29.
(4) How individuals whose BP status is unknown ("test individuals") can be analyzed for the

polymorphisms are unequivocally associated with BP.

polymorphism that associates with BP. Specification, page 24, lines 10-29. Thus, a number of

presence of a polymorphism known to be associated with BP. Specification, page 29, lines 23-29.

Accordingly, the specification provides both adequate written description and enablement to meet the written description and enablement requirements of 35 U.S.C.§112, first paragraph.

 Ξ

Whether the Invention is Described under 35 U.S.C. §112, First Paragraph

Arty Dkt. No.: UCAL142CON USSN: 08/976,560

The Final Office Action stated that:

- the claimed invention is an association between a polymorphism in the region of by analysis of a large pedigree that linkage disequilibrium exists at the short arm of markers is over-represented in individuals with BP; chromosome 18 between markers SAVA5 and ga203 and that the DNA between these chromosome 18 between markers SAVA5 and ga203 and BP, and the specification shows
- \mathfrak{S} particular allele sizes when hybridized with the region between SAVA5 and ga203 on the specification teaches that several known microsatellite polymorphic markers produce
- that in a pedigree analysis the region between SAVAS and ga203 on chromosome 18 is are generally indicative of a susceptibility to BP because the specification only teaches the specification provides no description of specific polymorphisms in this region which

over-represented in individuals in the pedigree who have BP; and

3

absent a written description disclosing a representative number of species polymorphisms associated with a susceptibility to BP, the specification fails to show that patent was filed. Applicants were in possession of the claimed invention at the time the application for

Œ

polymorphisms is provided Before the issue of written description is addressed, a brief discussion of microsatellite marker

Comments regarding microsatellite marker polymorphisms

are polymorphisms. Microsatellite markers, also known as Simple Sequence Length Polymorphisms marker is made up of a variable number of di-, tri-, or tetranucleotide repeats at a particular location. Thus, a linkages between specific microsatellite marker allele sizes and disease. Microsatellite marker allele sizes number of alleles, each of which has a different length, may exist for a given microsatellite marker. These (SSLPs), are unique stretches of DNA that contain very short, simple-sequence repeats. Each microsatellite Microsatellite markers are a widely accepted polymorphisms used for genotyping, and for identifying

alkeles are inherited in a Mendelian fashion, making it possible to use these polymorphisms as markers for disease and/or disease susceptibility. The fact that microsatellite marker polymorphisms have gained widespread acceptance as markers for disease states is evidenced by the numerous publications in this field. See, for example, SNP and Microsatellite Genotyping: Markers for Genetic Analysis (2000) A.H. Hajeer et al., eds Eaton Press. As discussed in pages 31-32 of an article by S.J. Payne (in Laboratory Methods for the Detection of Mutations and Polymorphisms in DNA, (1997) G.R. Taylor, ed. CRC Press; a copy of page 31-32 was provided as Exhibit 1 along with the amendment, filed March 17, 2000, responsive to the January 20, 2000 Office Action; a copy is provided herewith for convenience), microsatellite markers are highly polymorphic, often have multiple alleles, many with heterozygosity frequencies of 70% or more, and are thus highly informative for genetic analysis.

The instant specification provides adequate written description

The present claims are directed to a method of detecting an increased susceptibility to BP; a method for detecting the presence of a BP susceptibility DNA polymorphism in an individual phenotypically diagnosed as having BP; a method of genetically diagnosing bipolar mood disorder in an individual; and a method of confirming a phenotypic diagnosis of BP in an individual.

The Final Office Action stated that the specification shows by analysis of a large pedigree that linkage disequilibrium exists at the short arm of chromosome 18 between markers SAVA5 and ga203 and that the DNA between these markers is over-represented in individuals with BP. In reality, the specification shows, by analysis of both a pedigree and a population of unrelated individuals, that a number of specific polymorphisms, namely, specific allele sizes of specific microsatellite markers, are associated with BP. Specification, page 24, line 5 to page 25, line 2. For example, an allele size of 154 base pairs (bp) for microsatellite marker D18S59 is associated with BP; and an allele size of 172 bp for microsatellite marker D18S467 is associated with BP. Specification, page 24, Table I and lines 24-27.

The Final Office Action stated that the specification teaches that several known microsatellite polymorphic markers produce particular allele sizes when hybridized with the region between SAVA5 and

hybridization was conducted. primers was detectably labeled. PCR amplification of a microsatellile marker yields a DNA fragment that analysis was conducted is as follows. Microsatellite markers were amplified using polymerase chain ga 203 on chromosome 18. However, a careful reading of the specification shows that the way in which the polymorphisms in this region which are generally indicative of a susceptibility to bipolar mood disorder has the same size as the microsatellite marker itself. Specification, page 18, lines 19-27. Thus, no reaction (PCR), using forward and reverse primers flanking the microsatellite marker. One of the two chromosome 18 is over represented in individuals in the pedigree who have bipolar mood disorder." Final because the specification only teaches that in a pedigree analysis the region between SAVA5 and ga203 or microsatellite marker sizes are polymorphisms The Final Office Action further stated that the "specification contains no description of specific Instead, the sizes of the microsatellite markers were detected.

polymorphisms, i.e., microsatellite marker alleles, were unequivocally identified as associated with BP specification." Final Office Action, page 10. There is no statutory requirement under 35 U.S.C.§112, first deletions, insertions within and around a bipolar disease locus none of which have been described in the "representative number" of polymorphisms. However, as discussed above, a number of specific The Final Office Action further stated that "[a] polymorphism includes point mutations, smal ģ Applicants to show various types of polymorphisms, only that Applicants show a

to page 25, line 2. specific allele sizes of specific microsatellite markers, are associated with BP. Specification, page 24, line 5 a pedigree and a population of unrelated individuals, a number of specific polymorphisms, namely, Office Action, page 10. This statement is incorrect. What the specification shows is that, by analysis of both with BP by linkage disequilibrium in the pedigree, were also shown to be associated with BP in unrelated unrelated individuals. The same specific microsatellite marker allele sizes that were shown to be associated increased susceptibility to BP, to genetically diagnose BP, and to confirm a clinical diagnosis of BP. individuals. These specific polymorphisms are useful, therefore, to identify individuals who have an Thus, in addition to a pedigree analysis, a population analysis was conducted of

As discussed above, alkeles of a given microsatellite marker differ from one another in length. These differences in length are due to varying numbers of di-, tri-, or tetranucleotide repeats. A difference in the number of repeats may be due to insertions, and/or deletions, and/or point mutations. Accordingly, the identification of the microsatellite marker alleles associated with BP would appear to satisfy the requirement in the Final Office Action for a variety of types of mutations.

The Final Office Action stated that "the specification only described a linkage analysis of known markers in phenotypically diagnosed bipolar [in] families." Final Office Action, page 10. However, as discussed above, while the microsatellite markers were indeed known, the fact that particular alleles, i.e., polymorphisms, of known markers were associated with BP was not previously known. A contribution of

The Final Office Action cited In re Regents of the University of California v. Eli Lilly 43 USPQ 24, 1389-1412, and stated that "the Court held that a generic statement which defines a genus of nucleic acids only by their functional activity (i.e. polymorphisms which are associated with bipolar disease) does not provide an adequate written description of the genus." Final Office Action, page 11. However, Applicants have identified a number of polymorphisms, and described them, not only in terms of their association with BP, but have also provided their sizes. As these are known markers, the sequences are also known and publicly available. Microsatellite markers are repeats of di-, tri-, and tetranucleotides. Thus, a description of their length is an adequate description of the polymorphism.

associated with BP, and thus serve as genetic markers for a predisposition to BP.

the instant invention is the demonstration that particular microsatellite marker alleles (polymorphisms) are

Furthermore, knowledge of the specific sequence is not required to practice the claimed invention. For example, detection of a microsatellite marker allele (i.e., a microsatellite polymorphism) does not require knowledge of the sequence. As described in the specification, and as noted above, one need only know the sequences flanking a given microsatellite marker to be able to design PCR primers which will, in a PCR reaction, prime the amplification of the microsatellite marker. The size of the PCR product is readily

 \mathfrak{S}

determined, and it is the size of the microsatellite marker that is indicative of whether it is polymorphic relative to other alleles of the same marker. Thus, one need not determine the sequence of the marker.

The Final Office Action acknowledged that the instant specification describes several polymorphisms that are associated with BP.

The Final Office Action further stated that "[i]n analyzing whether the written description requirement is met for a genus claim, it is first determined whether a representative number of species have been described by their complete structure" and "[i]n the instant case, the specification only teaches several specific allele sizes which are associated with bipolar mood disorder." Final Office Action, bridging paragraph, pages 11 and 12, emphasis added. Thus, the Final Office Action acknowledged that the specification teaches several specific allele sizes (polymorphisms) that are associated with BP. Appellants submit that a description of "only several" polymorphisms satisfies the written description requirement of 35 U.S.C.§112, first paragraph.

In view of the fact that the instant specification teaches a number of specific polymorphisms that were shown, by analysis of both a pedigree and a population of unrelated individuals, to be associated with BP, the specification, and thus claims 1-12 and 25-27, meet the written description requirement of 35 U.S.C.§112, first paragraph.

WHETHER THE INVENTION IS ENABLED UNDER 35 U.S.C.§112, FIRST PARACRAPH

Ħ

The Final Office Action stated that:

- (1) the specification does not reasonably provide enablement for a method of detecting an increased susceptibility to bipolar mood disorder (BP) by detecting a polymorphism between and inclusive of SAVA5 and ga203 or any of the other recited markers;
- the art teaches that while a linkage has been shown between several different chromosomal regions and BP, a susceptibility locus for this disease has yet to be identified; and

shown by the analysis of the prior art and because the specification has not provided susceptibility polymorphisms will be evidence that would allow the skilled artisan to predict where and what the BP undue experimentation because of the extensive amount of unpredictability in this field as

Atty Dkt. No.: UCAL142CON USSN: 08/976,560

and a method of confirming a phenotypic diagnosis of BP. The methods generally involve analyzing a polymorphism is not necessarily the cause of BP. of chromosome 18p between SAVAS and ga203. The polymorphism is associated with BP; the sample of DNA from an individual for the presence of a polymorphism associated with BP on the short arm for detecting the presence of a BP susceptibility DNA polymorphism, a method of genetically diagnosing BP The following analogy may prove instructive. A person who is carrying matches in his pocket is The claims recite a method for detecting an increased susceptibility to BP in an individual, a method

cause smoking. The likelihood that a person is a smoker is indicated by the presence of the matches in the

likely a smoker. The matches in the person's pocket are associated with smoking; however, they do not

person's pocket. In an analogous way, the claims recite polymorphisms associated with BP, not

polymorphisms that cause BP. in a pedigree analysis, and in an analysis of a population of unrelated individuals, to be associated with BP the specification provides sufficient enablement, and the Declaration of Alison McInnes was further showed that several additional polymorphisms were found in this region that also associate with BP. While and ga203. Furthermore, during prosecution, Applicants provided a Declaration of Alison McInnes which These polymorphisms are found in a narrow interval on the short arm of chromosome 18, between SAVAS specification is enabling for the full scope of the claims and that is associated with BP. The evidence presented more than adequately demonstrates that the instan also found a polymorphism in a gene that is in the same narrow interval (i.e., between SAVAS and ga203) demonstration of this fact, Appellants also provide herewith a publication which shows that those in the field The instant specification provides a description of a number of polymorphisms that were shown, both

Comments regarding the instant invention as claimed

Atty Dkt. No.: UCAL142CON USSN: 08/976,560 The specification provides ample description of polymorphisms associated with BP, and further provides a detailed description of how to determine whether a given polymorphism is associated with BP.

Applicants have described in great detail:

- (1) Identification of a narrow interval, between markers SAVA5 and ga203, on the short arm of chromosome 18 which contains polymorphisms associated with BP. This identification was achieved by performing an analysis on a genetically isolated population, as described in detail in the specification. Specification, page 16, line 12 to page 25, line 10.
- (2) Identification of polymorphisms, e.g., allele 154 at D18S59, a microsatellite marker polymorphism that associates with BP; and allele 271 at D18S476, another microsatellite marker polymorphism that associates with BP. Specification, page 24, lines 10-29. These polymorphisms associated with BP both in the pedigree and in the population of unrelated individuals. Thus, a number of polymorphisms were identified that are unequivocally associated with BP.

 (3) How additional polymorphisms within the defined, narrow region can be identified in other
- (3) How additional polymorphisms within the defined, narrow region can be analyzed for the BP patients. Specification, page 27, line 22 to page 29, line 29.

 (4) How individuals whose BP status is unknown ("test individuals") can be analyzed for the

presence of a polymorphism known to be associated with BP. Specification, page 29, lines 23-29.

The Office Action stated that the specification is enabling for a method of detecting an increased susceptibility for bipolar mood disorder by performing a pedigree analysis for the individual's family, and analyzing the DNA from family members for linkage of markers on the short arm of chromosome 18 between and inclusive of SAVA5 and ga203, D18S1140 and ga203, SAVA5 and W3422, D18S1140

However, as shown in the Examples, Applicants demonstrated unequivocally that a number of polymorphisms, including, e.g., allele 154 at D18S59, and allele 271 at D18S476, are associated with BP in both pedigree analysis and in an analysis of a population of unrelated individuals. Thus, the claims are enabled for performing an analysis on a sample of DNA from a test individual, and need not be limited to performing a pedigree analysis.

and W3422, D18S1140 and ta201, and D18S59 and ta201

The final Office Action stated that the specification has not identified polymorphisms in the region between SAVA5 and ga203 that can be detected in any individual and which are generally associated with BP. However, as discussed above, the finding that the above-discussed polymorphisms were identified in a population of unrelated individuals indicates that such polymorphisms are generally associated with BP.

The final Office Action further stated that the markers described in the specification are not in and of themselves BP susceptibility polymorphisms because these markers are polymorphic sequences which are found throughout the genome and are not specific to this described region of chromosome 18. This is not correct. While it is true that microsatellite markers in general are found throughout the

The whole reason for using microsatellite markers is that they are unique genetic addresses in the genome. While microsatellite markers are widespread throughout the genome, the sequences flanking each microsatellite marker are unique. Therefore, as described in the specification, using primer pairs that are specific for these unique flanking sequences, each microsatellite marker can be individually identified, as each set of primers describes absolutely unique sequences flanking the repeat. Therefore, each microsatellite marker provides a unique genomic address. Variations in allele sizes of microsatellite markers are polymorphisms that are easily identifiable.

genome, the specific microsatellite markers identified in the present application are not found throughout

The specific microsatellite markers identified in the instant application, e.g., D18S59 and D18S476, are found only in the narrow region between SAVA5 and ga203, and the specific allele sizes of D18S59 and D18S476 of 154 and 271 bp, respectively, were shown to be associated with BP.

Applicants have described in detail how to identify additional polymorphisms associated with

As noted above, Applicants have described in great detail: (1) Identification of a small interval between markers SAVA5 and ga203, on the short arm of chromosome 18 which contains

.00.10. 2002 0.0411

polymorphisms associated with BP, which identification was achieved by performing an analysis on a genetically isolated population, as described in detail in the specification; (2) Identification of polymorphisms, e.g., allele 154 at D18S59, and allele 271 at D18S476, which associate with BP (see, e.g., Table I, page 24); and (3) How additional polymorphisms within the narrow interval can be identified in other BP patients.

Those skilled in the art can thus readily identify, using the guidance in the specification, a polymorphism(s) within the identified region that associate with BP. The specification provides both a narrow region that is associated with BP (namely, the region on chromosome 18 between SAVA5 and ga203) as well as polymorphisms within this region that associate with BP. Thus, the specification is

The Declaration of Alison McInnes provided further evidence of the fact that those skilled in the art could identify polymorphisms in the SAVAS-ga203 region that are associated with BP.

indeed enabling for a method of detecting the presence of a BP susceptibility polymorphism in an

Given the guidance provided in the specification, those skilled in the art could readily determine whether a given polymorphism within the region recited in the claims is associated with BP. The Declaration of Alison McInnes attests to this fact. The Declaration of Alison McInnes was provided along with the amendment, filed October 10, 2001, responsive to the Final Office Action. A copy of this Declaration is provided herewith for convenience. The Declaration shows that, using techniques described in the specification, at least five polymorphisms, including single nucleotide polymorphisms (SNP), in the narrow interval on chromosome 18p described in the application, are associated with BP.

Thus, in addition to the polymorphisms already identified in the patent application, and using the guidance provided in the application, several additional polymorphisms were identified that are associated with BP.

Further evidence that those skilled in the art can identify polymorphisms in the SAVA5-ga203 region that are associated with BP.

polymorphisms associated with BP. Further evidence for this fact is provided in PCT publication WO 99/47535, provided herewith as Exhibit 1. This evidence was not provided earlier, as it was believed that the arguments provided in the various amendments, as well as the Declaration of Alison McInnes, as discussed above, provided ample evidence of enablement.

WO 99/47535 describes a gene, designated HKNGI. This gene is located in the region between SAVA5 and ga203. WO 99/47535 describes mutations in the HKNGI gene that are associated with BP. WO 99/47535 provides further evidence for the fact that those skilled in the art could, given the guidance in the instant specification, identify polymorphisms within the SAVA5-ga203 interval that are

associated with BP. Thus, WO 99/47535 provides further evidence that the instant specification is

WO 99/47535, page 103, lines 5-11. WO 99/47535 describes performing high resolution physical specification, which identified a narrow interval between SAVA5-and ga203 as associated with BP 27. (Note that in WO 99/47535, BP is referred to as "bipolar affective disorder" or "BAD"). WO (Nelson B. Freimer is also an inventor on the instant application.) WO 99/47535 presents evidence that protein 1) in the public database. The HKNGI gene also contains D18S59 and other polymorphisms WO 99/47535, page 109, line 17 to page 110, line 2. The HKNG1 gene is CLUL1 (Clusterin-like retinal 99/47535 describes the HKNGI gene, and mutations in the HKNGI gene that are associated with BP were known to those skilled in the art as of the filing date of the instant specification. Finally, WO line 12-page 104, line 30. These techniques are also described in the instant specification, and many mapping and further narrowing of the interval (using linkage disequilibrium). WO 99/47535, page 103 WO 99/47535, page 101, line15-21. WO 99/47535 used the information provided in the instant 99/47535 discusses the use of linkage disequilibrium studies (as described in the instant specification) mutations within a gene, designated HKNGI, are associated with BP. WO 99/47535, page 6, lines 23shown to be associated with BP, i.e., D18S59 and other BP-associated polymorphisms are in HKNG1 introns and 3' untranslated region WO 99/47535 published on September 23, 1999, and lists Nelson B. Freimer as an inventor.

Accordingly, using the techniques described in the specification, others in the field could identify mutations associated with BP, including mutations in genes.

The cited art does not support a conclusion of non-enablement of the instant claims

The final Office Action cited various publications in support of the contention that the teachings in the specification do not provide the skilled artisan with a reasonable expectation that he will identify polymorphisms that are associated with bipolar mood disorder or for detecting a bipolar (BP) susceptibility locus without undue experimentation because of the extensive amount of unpredictability in this field. The cited art are Stine et al. ((1995) Am. J. Hum. Genet. 57:1384-1394); McInnes et al. ((1996) Proc. Natl. Acad. Sci. 93:13060-13065 ("the McInnes Reference"); Esterling et al. ((1997) Molec. Psychiatry 2:501-504); Ewald et al. ((1997) Psychiatric Genetics 7:1-12); Gershon et al. ((1998) Neuropsychopharmacology 18:233-242); and Nöthen et al. ((1999) Molec. Psychiatry 4:76-84").

The present invention is based on studies that differed from previous studies in several respects. These differences can account for the failure of others, and the success of the present inventors, in finding polymorphisms associated with BP. These differences are can be summarized as follows: (1) others reported pedigree-based studies, while the present invention relates to a population-based study; (2) others did not use linkage disequilibrium analysis; and (3) others included irrelevant phenotypes, while the present study excluded irrelevant phenotypes. These differences were described in detail in the response to the June 28, 2000 Office Action. Since the cited studies could not have provided the kind of information that the instant inventors were able to provide, none of the cited art supports a conclusion of non-enablement of the instant claims.

The McInnes reference: The McInnes reference analyzed extended families, and used linkage analysis. The Office Action stated that the McInnes reference teaches that it is unlikely that any one linkage study will yield sufficient evidence to localize a gene for any psychiatric disorder, and further stated that the McInnes reference teaches that the second and third stages in their process were delineating clear candidate regions so as to identify genes associated with BP. The present invention as

claimed is not directed to genes associated with bipolar mood disorder. Instead, the claimed invention is directed to methods involving analyzing a DNA sample for the presence of a DNA polymorphism associated with BP. Furthermore, the claimed invention does not relate to establishing a cause of BP; instead, the claimed invention involves analyzing a DNA sample for polymorphisms associated with BP. It is further noted that the McInnes reference did not use linkage disequilibrium analysis of a large number of unrelated individuals, as in the present study, and thus cannot be used to show lack of enablement of the instant invention as claimed. Thus, the McInnes reference describes a pedigree-based study, not a population-based study, and linkage disequilibrium analysis was not used.

Stine: The Office Action stated that Stine "showed evidence of linkage between bipolar disorder and markers on the short arm of chromosome 18, i.e., 18p including marker D18S59 (table 1)." Office Action, page 3. This latter statement is inaccurate, as discussed in the response to the July 28, 1999 Office Action. A careful reading of Stine's Table 1, as well as the text of Stine, clearly show that Stine found inhage between BP and D18S59. The Office Action further stated that Stine "acknowledged".

Office Action. A careful reading of Stine's Table 1, as well as the text of Stine, clearly show that Stine found no linkage between BP and D18S59. The Office Action further stated that Stine "acknowledged that the number of loci and their precise location require further study." Office Action, page 3. Stine conducted a study of 28 nuclear families. These families were unrelated to one another, and therefore the data obtained were not amenable to linkage disequilibrium analysis, as was done in the present invention. Thus, Stine describes a pedigree-based study, not a population-based study, and linkage disequilibrium analysis was mot used. The fact that Stine found no linkage of D18S59 with BP only further emphasizes the inadequacies of the Stine study and the superior nature of the study of the present application.

Esterling: The Office Action stated that Esterling constructed a high resolution map of 18p11.2 which they state contains a potential BP susceptibility locus, and that despite having the map, no specific polymorphisms or loci have been identified as a bipolar susceptibility locus. Esterling merely describes development of a high-resolution map of the 18p11.2 region. Esterling does not describe any attempts whatsoever to identify a polymorphism associated with BP in the region studied. Accordingly, the relevance of Esterling's disclosure to the question of enablement of the instant specification is unclear.

Ewald: The Office Action stated that Ewald teaches that while chromosome 18 is one of the most promising chromosomes to contain a bipolar susceptibility locus, the research is still considered a search for susceptibility genes. First, Ewald reports on the results of a study of Danish families. As with the Stine study, these studies were cooducted with isolated, unrelated families. Thus, the data were not amenable to the rigorous analysis to which the data presented in the instant application were subjected. Accordingly, Ewald describes a pedigree-based study, not a population-based study, and linkage disequilibrium analysis was not used. Second, the present invention as claimed is not directed to specific genes associated with bipolar mood disorder. Instead, all that is required in the present invention as claimed is that one be able to analyze a sample of DNA for a polymorphism associated with BP, said polymorphism being in the recited region of chromosome 18.

Gershon: The Office Action stated that Gershon teaches that scientists are yet a long way from

Gershon: The Office Action stated that Gershon teaches that scientists are yet a long way from demonstrating disease mutations in BP. Gershon here is referring to the identification of genes associated with BP. The title of Gershon's publication is "Closing in on genes for manic-depressive illness and schizophrenia." The present invention as claimed is not directed to specific genes associated with bipolar mood disorder. Instead, all that is required in the present invention as claimed is that one be able to analyze a sample of DNA for a polymorphism associated with BP, said polymorphism being in the recited region of chromosome 18.

Gershon summarizes several of the reports in the literature attempting to identify linkage of a chromosomal region with BP. Gershon, Table 1, page 236. Gershon states "there is an uncomfortable number of nonreplications for the fludings in Table 1." Gershon, page 236, column 1, first sentence of second full paragraph, emphasis added. Gershon further remarks, with regard to the studies cited in Table 1: "There is very little statistical power to detect this sort of linkage in the sample sizes commonly used." Gershon, page 236, column 2, lines 7-8 of first incomplete paragraph, emphasis added. Thus, Gershon recognized the shortcomings of the work of others and, as discussed in detail above, others have described pedigree-based studies, not a population-based study, and linkage disequilibrium analysis was not used. Therefore, Gershon's critique cannot be fairly cited as a critique of the work of

the claimed invention. The teaching of Gershon cannot be relied upon to support a conclusion of non-

Atty Dkt. No.: UCAL142CON USSN: 08/976,560

Nöthen: The Office Action stated that Nöthen concluded as late as 1999 that the data in the art supports the hypothesis that a susceptibility locus exists and may exist on chromosome 18, but does not provide a reasonable expectation as of yet that polymorphism in the region of 18p is associated with a bipolar susceptibility locus or what that locus will be. Nöthen reports on results of a study of 57 unrelated German families, and stated that the analysis revealed no robust evidence for linkage. This finding is not surprising in view of the foregoing discussion of the requirements for unequivocal linkage. As with the findings reported in Stine, Ewald, Esterling, and Gershon, the data in Nöthen were not amenable to linkage disequilibrium analysis. Nöthen describes a pedigree-based study, not a population-based study, and linkage disequilibrium analysis was not used.

In conclusion, the work described in Stine, Ewald, Esterling, Gershon, and Nöthen suffer from at least two drawbacks, as compared to the work of Applicants. These other studies used pedigree-based studies, sample sizes that were too small, and involved unrelated families. Because of the small sample sizes and lack of relatedness, the data were not amenable to rigorous statistical analysis. Thus, the failure of others in the field is merely a reflection of the fact that the systems analyzed by others are inadequate to support detection of DNA polymorphisms associated with susceptibility to developing BP. Indeed, as stated in the instant specification, "earlier studies used largely uninformative markers and did not use stringent criteria for identifying affected individuals." Specification, page 4, lines 4-5.

The teachings in the specification provide the skilled artisan with a reasonable expectation that he will identify polymorphisms without undue experimentation.

The final Office Action stated that the teachings in the specification do not provide the skilled artisan with a reasonable expectation that he will identify polymorphisms that are associated with BP without undue experimentation because of the extensive amount of unpredictability in this field as shown by the analysis of

the prior art and because the specification has not provided evidence that would allow the skilled artisan to predict where and what the BP susceptibility polymorphisms will be.

As discussed in detail above, the cited prior art does not support a conclusion of lack of enablement Furthermore, as discussed above, the specification provides ample guidance for one of ordinary skill in the art to detect a polymorphism in the region of chromosome 18p between SAVA5 and ga203, and to determine

whether the polymorphism is associated with BP.

The determination of whether a given polymorphism associates with BP was readily performed by those of ordinary skill in the art as of the filing date, given the guidance in the specification and the general knowledge in the art. The methods described in the specification were well known to those skilled in the art as of the filing date. At the time of filing, a number of methods were available to detect polymorphisms, including detection of microsatellilite alleles, and those skilled in the art were well aware of these methods. Linkage disequilibrium analysis to determine whether a given polymorphism is associated with BP is described in ample detail in the instant specification, including working examples. Specification, page 16, line 12 to page 25, line 10.

Applicants provided working examples of polymorphisms associated with BP, how such polymorphisms were detected, and how their association with BP was determined. Those skilled in the art could readily find additional polymorphisms in the region on chromosome 18 between SAVA5 and ga203, and determine whether the additional polymorphisms associate with BP, by using the same techniques. As long as the specification discloses at least one method for making and using the claimed invention that bears a reasonable correlation to the entire scope of the claim, then the enablement requirement of 35 U.S.C.§112, first paragraph, is satisfied. In re Fisher, 166 USPQ 18 (CCPA 1970). Since the application discloses at least one method for detecting polymorphisms in the region of chromosome 18 between SAVA5 and ga203, and teaches how to determine whether any given polymorphism associates with BP, the claims satisfy the enablement requirement of 35 U.S.C.§112, first paragraph.

Thus, those skilled in the art, given the guidance in the specification and the general knowledge in the art, would reasonably expect to be able to identify additional polymorphisms within the region between SAVA5 and ga203, and to be able to determine whether such polymorphisms associate with BP. The level of experimentation required would not be undue, because the methods described in the specification were

Atty Dkt. No.: UCAL142CON USSN: 08/976,560

known as of the filing date, and because the specification provides ample guidance.

CIUSION

The specification provides ample description of polymorphisms associated with BP, and further provides a detailed description of how to determine whether a given polymorphism is associated with BP. The cited art does not support a conclusion of non-enablement of the instant claims. The teachings in the specification provide the skilled artisan with a reasonable expectation that he will identify polymorphisms without undue experimentation. In view of these facts, it is clear that claims 1-12 and 25-27 are supported by a disclosure that meets the enablement requirement of 35 U.S.C.§112, first paragraph.

SUMMARY

The instant specification provides another written description and enablement for the claimed invention. The instant specification teaches a number of specific polymorphisms that were shown, by analysis of both a pedigree and a population of unrelated individuals, to be associated with BP. For this reason, and as further elaborated upon above, claims 1-12 and 25-27 meet the written description of 35 U.S.C.§112, first paragraph. Claims 1-12 and 25-27 also meet the enablement requirement of 35 U.S.C.§112, first paragraph, because the specification provides ample description, including working examples, of how to identify polymorphisms in the region of chromosome 18 recited in the claims (i.e., between SAVAS and ga203), and how to determine whether such polymorphisms are associated with BP.

Dec.16. 2002 3:57PM

Ρ. 29

Atty Dkt. No.: UCAL142CON USSN: 08/976,560

No.0074

RELIEF REQUESTED

Notice of Allowance. first paragraph be reversed, and that the application be remanded to the Examiner with instructions to issue a Appellants respectfully request that the rejection of claims 1-12 and 25-27 under 35 U.S.C. §112,

REQUEST FOR ORAL HEARING

connection therewith. Appellants request an oral hearing on this appeal, and enclose two additional copies of this Brief in

Respectfully submitted,
BOZICEVIC, FIELD & FRANCIS LLP

Ву

Enclosures:

Paula A. Borden

Registration No. 42,344

1) Appendix of Pending Claims
2) Copy of pages 31-32 of <u>Laboratory Methods for the Detection of Mutations and Polymorphisms in DNA</u>, (1997) G.R. Taylor, ed. CRC Press, filed with the amendment, filed March 17, 2000, responsive to the January 20, 2000 Office Action

Copy of Declaration of Alison McInnes, filed with the amendment, filed October 10, 2001, responsive to the Final Office Action

4) Exhibit 1: WO 99/47535

BOZICEVIC, FIELD & FRANCIS LLP 200 Middlefield Road, Suite 200 Menlo Park, California 94025 Telephone: (650) 327-3400 Fassimile: (650) 327-3231

EVDOCUMENT/UCAL\142CON\appeabrief.doc

26

APPENDIX OF PENDING CLAIMS

individual comprising: 1. A method of detecting an increased susceptibility to bipolar mood disorder (BP) in an

chromosome indicates that the test individual has an increased susceptibility to develop BP. presence in the test individual of a polymorphism associated with BP which is present on a disease associated with BP on the short arm of chromosome 18 between SAVA5 and ga203, wherein the analyzing a sample of DNA from a test individual for the presence of a DNA polymorphism

- chromosome 18 between and inclusive of D18S1140 and ga203 The method of claim 1, wherein said DNA polymorphism is located on the short arm of
- chromosome 18 between and inclusive of SAVA5 and W3422. The method of claim 1, wherein said DNA polymorphism is located on the short arm of
- chromosome 18 between and inclusive of D18S11 and W3422. 4. The method of claim 1, wherein said DNA polymorphism is located on the short arm of
- chromosome 18 between and inclusive of D18S1140 and at201. The method of claim 1, wherein said DNA polymorphism is located on the short arm of
- chromosome 18 between and inclusive of D18S1140 and ta201. The method of claim 1, wherein said DNA polymorphism is located on the short arm of
- chromosome 18 between and inclusive of D18S59 and ta201 The method of claim 1, wherein said DNA polymorphism is located on the short arm of
- The method of claim 1, wherein said analyzing further comprises

Atty Dkt. No.: UCAL142CON USSN: 08/976,560

Received from < > at 12/16/02 6:59:42 PM [Eastern Standard Time]

polymorphism; and a) analyzing DNA samples obtained from family members for the presence of said DNA

Atty Dkt, No.: UCAL142CON USSN: 08/976,560

- of an increased susceptibility to develop BP bipolar mood disorder for said individual or for said family members, wherein a correlation is indicative b) correlating the presence or absence of the DNA polymorphism with a phenotypic diagnosis of
- polymorphism in an individual phenotypically diagnosed as having BP, the method comprising: region of chromosome 18, wherein said region is located between and inclusive of SAVA5 and ga203; a) typing blood relatives of said individual for a DNA polymorphism located within a 500kb 9. A method for detecting the presence of a bipolar mood disorder (BP) susceptibility DNA
- wherein a sharing of said DNA polymorphism in said region between the individual and a blood relative susceptibility polymorphism who has been phenotypically diagnosed as having BP is an indication that the polymorphism is a BP b) analyzing a DNA sample from said individual for the presence of said DNA polymorphism,
- SAVA5 and ga203, wherein the presence in the test individual of a polymorphism which is present on a within a 500 kb region of chromosome 18, wherein said region is located between and inclusive of polymorphism associated with bipolar mood disorder, wherein said DNA polymorphism is located disease chromosome indicates that the individual has bipolar mood disorder analyzing a DNA sample obtained from a test individual for the presence of a DNA 10. A method of genetically diagnosing bipolar mood disorder in an individual comprising:
- analyzing a DNA sample obtained from a test individual phenotypically diagnosed as having 11. A method of confirming a phenotypic diagnosis of bipolar mood disorder in an individual

Dec.16. 2002 3:58PM

bipolar m wherein s

P. 32

Atty Dkt. No.: UCAL 142CON USSN: 08/976,560

No.0074

bipolar mood disorder for the presence of a DNA polymorphism associated with bipolar mood disorder, wherein said DNA polymorphism is located within a 500 kb region of chromosome 18, wherein said region is located between and inclusive of SAVA5 and ga203, wherein the presence in the test individual of the polymorphism which is present on a disease chromosome confirms a phenotypic diagnosis of bipolar mood disorder.

- The method of claim 10, wherein said individual has Spanish or Amerindian ancestry.
- The method of claim 1, wherein the polymorphism is a polymorphic microsatellite

marker.

The method of claim 25, wherein the polymorphism is a single nucleotide polymorphism.

56

27. A method of detecting the presence of a bipolar mood disorder susceptibility polymorphism in an individual comprising: analyzing a sample of DNA from said individual for the presence of a DNA polymorphism on the short arm of chromosome 18 between SAVA5 and ga203; and determining the frequency of the polymorphism on disease chromosomes and non-disease

that the DNA polymorphism is associated with a form of bipolar mood disorder.

chromosomes, wherein an overrepresentation of the polymorphism on disease chromosomes indicates

=: